

L Number	Hits	Search Text	DB	Time stamp
-	6632	((SQL or (structur\$3 adj query adj language)) with (request query command search))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:13
-	524	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:13
-	147	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)) and (flat-file flat adj file multivalue multi-value multi adj value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:15
-	144	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)) and (flat-file flat adj file multivalue multi-value multi adj value)) and (map\$3 transform\$3 translat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:18
-	3	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)) and (flat-file flat adj file multivalue multi-value multi adj value)) and (map\$3 transform\$3 translat\$3)) and (automobile or vehicle or car) with dealership	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:16
-	59	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)) and (flat-file flat adj file multivalue multi-value multi adj value)) and (map\$3 transform\$3 translat\$3)) and (secur\$3 and autoriz\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:19
-	54	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)) and (flat-file flat adj file multivalue multi-value multi adj value)) and (map\$3 transform\$3 translat\$3)) and (secur\$3 and autoriz\$3)) and (check\$3 validat\$4 verif\$3) with (request response query autoriz\$3 user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:20
-	30	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)) and (flat-file flat adj file multivalue multi-value multi adj value)) and (map\$3 transform\$3 translat\$3)) and (secur\$3 and autoriz\$3)) and (check\$3 validat\$4 verif\$3) with (response)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:21
-	26	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)) and (flat-file flat adj file multivalue multi-value multi adj value)) and (map\$3 transform\$3 translat\$3)) and (secur\$3 and autoriz\$3)) and (check\$3 validat\$4 verif\$3) with (response)) and (automobile vehicle car)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 12:26
-	3	((SQL or (structur\$3 adj query adj language)) with (request query command search)) and legacy with (system or database)) and (flat-file flat adj file multivalue multi-value multi adj value)) and (map\$3 transform\$3 translat\$3)) and dealership	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:04

-	435	(SQL or (structur\$3 adj query adj language)) near3 (request query command search) and legacy near4 (system or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:17
-	46	((SQL or (structur\$3 adj query adj language)) near3 (request query command search) and legacy near4 (system or database) ) and (authoriz\$3 near4 (check\$3 verif\$4 valid\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:07
-	44	((SQL or (structur\$3 adj query adj language)) near3 (request query command search) and legacy near4 (system or database) ) and (authoriz\$3 near4 (check\$3 verif\$4 valid\$5))) and map\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:08
-	1	(SQL or (structur\$3 adj query adj language)) near3 (request query command search) with (translat\$3 map\$3 conver\$4 transform\$4) with (legacy of flat-file) near4 (system or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:19
-	1	(SQL or (structur\$3 adj query adj language)) near3 (request query command search) with (translat\$3 map\$3 conver\$4 transform\$4) with (legacy or flat-file) near4 (system or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:19
-	0	(SQL or (structur\$3 adj query adj language)) near3 (request query command search) with (translat\$3 map\$3 conver\$4 transform\$4) same (flat-file flat adj3 file ) near4 (system or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:20
-	85	(SQL or (structur\$3 adj query adj language)) near3 (request query command search) with (translat\$3 map\$3 conver\$4 transform\$4) and (flat-file flat adj3 file ) near4 (system or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:20
-	47	((SQL or (structur\$3 adj query adj language)) near3 (request query command search) with (translat\$3 map\$3 conver\$4 transform\$4) and (flat-file flat adj3 file ) near4 (system or database)) and \$3compatibl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 15:37
-	541	SQL near4 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 15:38
-	94	(SQL near4 client ) and (flat-file flat adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 15:49
-	74	((SQL near4 client ) and (flat-file flat adj file)) and map\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 15:39
-	51	((SQL near4 client ) and (flat-file flat adj file)) and map\$) and monitor\$3 and trigger and event	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 15:40
-	1	((((SQL near4 client ) and (flat-file flat adj file)) and map\$) and monitor\$3 and trigger and event) and secur\$3) and dealership	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 15:40
-	40	((((SQL near4 client ) and (flat-file flat adj file)) and map\$) and monitor\$3 and trigger and event) and secur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 15:49

-	43	(SQL near4 client ) and (flat-file flat adj file) and mainframe	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:49
-	33	((SQL near4 client ) and (flat-file flat adj file) and mainframe) and secur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:54
-	4	target adj database with flat adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:57
-	87	SQL with flat adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:58
-	82	(SQL with flat adj file) and (query or request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:58
-	41	((SQL with flat adj file) and (query or request)) and map\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:58
-	21	((SQL with flat adj file) and (query or request)) and map\$3) and trigger	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:04
-	3	6609108.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:16
-	36	("5615342"   "5757917"   "5765139"   "5774873"   "5792219"   "5802497"   "5809479"   "5826241"   "5839112"   "5884300"   "5887271"   "5890137"   "5890138"   "5895454"   "5897622"   "5899980"   "5905974"   "5905975"   "5913210"   "5950173"   "5960408"   "5960411"   "5970472"   "5970475"   "5983199"   "5991739"   "6006201"   "6009413"   "6012045"   "6014628"   "6016504"   "6041310"   "6058373"   "6282517"   "6339763"   "6341270").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:04
-	2528	flat-file flat adj file or flat adj database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:17
-	0	(flat-file flat adj file or flat adj database) and (SQL near4 client) with (query command request) with (map\$3 or conver\$4 translats\$4 transform) with format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:18
-	13	(flat-file flat adj file or flat adj database) and (SQL near4 client) with (query command request) and (map\$3 or conver\$4 translats\$4 transform) with format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:21
-	16	(flat-file flat adj file or flat adj database) and (SQL near4 client) with (query command request) and (map\$3 or conver\$4 translats\$4 transform) with (query or request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:23

-	2095	(SQL) with (query command request) and (map\$3 or conver\$4 translat\$4 transform) with (query or request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:23
-	9	((SQL) with (query command request) and (map\$3 or conver\$4 translat\$4 transform) with (query or request)) and flat adj database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:26
-	184	((SQL) with (query command request) and (map\$3 or conver\$4 translat\$4 transform) with (query or request)) and flat near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:26
-	152	((SQL) with (query command request) and (map\$3 or conver\$4 translat\$4 transform) with (query or request)) and flat near5 database) and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:27
-	132	((SQL) with (query command request) and (map\$3 or conver\$4 translat\$4 transform) with (query or request)) and flat near5 database) and map\$4) and (707/\$ 709/\$ 705/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:27
-	96	((SQL) with (query command request) and (map\$3 or conver\$4 translat\$4 transform) with (query or request)) and flat near5 database) and map\$4) and (legacy or mainframe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:28
-	69	((SQL) with (query command request) and (map\$3 or conver\$4 translat\$4 transform) with (query or request)) and flat near5 database) and map\$4) and (legacy or mainframe)) and secur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:29
-	15	(US-6041310-\$ or US-6640244-\$ or US-6282517-\$ or US-5890159-\$ or US-6477665-\$ or US-5889863-\$ or US-6438594-\$ or US-6609108-\$ or US-6654726-\$ or US-6526403-\$ or US-6076092-\$ or US-6332163-\$ or US-6009413-\$ or US-6006201-\$ or US-6449618-\$).did.	USPAT	2004/02/11 17:31
-	13	((US-6041310-\$ or US-6640244-\$ or US-6282517-\$ or US-5890159-\$ or US-6477665-\$ or US-5889863-\$ or US-6438594-\$ or US-6609108-\$ or US-6654726-\$ or US-6526403-\$ or US-6076092-\$ or US-6332163-\$ or US-6009413-\$ or US-6006201-\$ or US-6449618-\$).did.) and SQL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:31
-	10	((US-6041310-\$ or US-6640244-\$ or US-6282517-\$ or US-5890159-\$ or US-6477665-\$ or US-5889863-\$ or US-6438594-\$ or US-6609108-\$ or US-6654726-\$ or US-6526403-\$ or US-6076092-\$ or US-6332163-\$ or US-6009413-\$ or US-6006201-\$ or US-6449618-\$).did.) and SQL) and flat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:31
-	10	((US-6041310-\$ or US-6640244-\$ or US-6282517-\$ or US-5890159-\$ or US-6477665-\$ or US-5889863-\$ or US-6438594-\$ or US-6609108-\$ or US-6654726-\$ or US-6526403-\$ or US-6076092-\$ or US-6332163-\$ or US-6009413-\$ or US-6006201-\$ or US-6449618-\$).did.) and SQL) and flat with (file database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:31